



Integrated For Your Needs


www.ozzago.com



[ABOUT US](#)

[PRODUCTS](#)

[CONTACT](#)



OMVE Pilot Equipment



Revolutions in Small Scale Processing

OMVE is a leading company specialized in high quality, small-scale liquid process equipment for laboratory & pilot applications. The advanced processing equipment simulates (existing and new) industrial processes at the highest level. Experience the benefits and features of our unique systems and services, improve your innovation strengths and reduce your operational costs!



With our small scale systems you can conduct more trials in less time, which allows you to save on labour, ingredients and cut costs without compromise. Test results can be reproduced quickly and accurately and scaled to production size. OMVE is a leader in the field of supplying high quality equipment for the complete range of technologies available.

Carbonation



Homogenisation



Multi-Purpose Vessels



Heat Treatment



Deaeration



UHT pilot plant



UHT Pilot Plant

OMVE References



Liquid Mixing Technique


Products

Our core product is multifunctional mixers for the food industry. Learn more about some of the worlds best batch mixers for liquid and semi liquid products.

Processing Machine



Limitech agitators



Key Component



High Shear Mixers.

High Efficiency mixers unit. In combination with agitation, cooling, heating and vacuum for Liquid Food Process.

[Learn More](#)



Pectin Dissolver.

Proven equipment to reducing production time and homogeneous product everytime.

[Learn More](#)



Horizontal Cookers.

Special designed for gentle treatment of various products. Heating is done with steam and also be used for cooling in a dimple jacket.

[Learn More](#)



Conical Buffer Tank.

High quality of storage vessels in different designs to serve customer needs whether it is cooling, heating or just holding the product.

[Learn More](#)



Fino®

A Perfect modular for High Viscous products such as mayonnaise, sauces, dressings and ketchup.

[Learn More](#)



Fruit Preserve

The jam or marmalade line which dissolves pectin in record times without lump from Limitech A/S

[Learn More](#)



Ultra High Temperature

Ultra high temperature treatment for viscous products. Perfect for processed cheese.

[Learn More](#)

Mixing wheels | Stators | Knives



Oil nozzle for rapid emulsions



Parts & Service: Sanitary Pump & Valve



Parts & Service: Plate Heat Exchanger & Tubular

thermowave

PHE for process and industry



Kelvion



**APPARATEBAU-
WÄRMETECHNIK
GMBH**



Parts & Service



Valves Range

Double seat valves



Single seat Valves



Butterfly valves



High pressure valves



Modulating valves



Ball valves



Control units



Accessories



Selected portfolio - Global suppliers

PTFE TUBING & COIL





WEDECO

a xylem brand



Cipriani Harrison Valves Corp.
Hygienic Stainless Steel Valves



Parts & Service

Valves spare parts



Pumps spare parts



Heat exchangers spare parts



VALBIA

(PRODUCTS)



Pneumatic Actuator



Electric Actuator

หัวขับของแบรนด์ Valbia มีให้เลือกใช้ลมหรือไฟฟ้าในการทำงาน PNEUMATIC ACTUATOR ที่ใช้ลมในการทำงานนั้นมีทั้งรุ่นแบบสปริงและแบบดับเบิล ส่วน ELECTRIC ACTUATOR ที่ใช้ไฟฟ้าในการทำงาน มีให้เลือก 2 รุ่นด้วยกันคือ แบบ ON/OFF และแบบ POSITIONER รุ่นมาตรฐานทั้ง 2 ประเภทนี้ มีองศาการหมุนอยู่ที่ 0° - 90° และ 0° - 180°

ประเภทของหัวขับนี้จะ ใช้ในกระบวนการอุตสาหกรรมเป็นหลัก เพื่อทำการตัดวงจรและปรับปรุงแก้ไขอุปกรณ์โดยอัตโนมัติ การใช้วัสดุที่คัดสรรมาอย่างดี Valbia นำเสนอสินค้าที่มีการออกแบบเป็นเอกลักษณ์ มีประสิทธิภาพและความแข็งแกร่งทนทาน ซึ่งสามารถรับประกันมาตรฐานคุณภาพสูงได้ตลอดอายุการใช้งาน

หัวขับมีทั้งหมด 2 ประเภทด้วยกัน ดังนี้

- PNEUMATIC ACTUATOR
- ELECTRIC ACTUATOR

VALBIA



APPROVAZIONI - APPROVALS

ISO 9001 - ISO 14001 - OHSAS 18001

CERTIFICAZIONI PRODOTTO - PRODUCT APPROVALS



Belven


(PRODUCTS)

Butterfly Valve (Wafer Type)



Name	Composition	General applications	Limitations
EPDM	Ethylene-propylene terpolymer	Water/Steam Sea Water Brine Sulphur Alkaline Alcohols Cavitation media	Not recommended for Hydrocarbons Oils Fats
NBR	Copolymer of butadiene and acrylonitrile	Hydrocarbons Natural Gas Oil/Water	Not recommended for Sulphur Ozone Hydro
PTFE	Polytetrafluoroethylene	Acid Caustic Solvents Corrosive products	Not recommended for Fluid containing powders Alkaline metallic Saturated Fluorine

Butterfly Valve (Lug Type)



material

BV10
BV10-D
BV11 - XX XX X
BV12
BV12-D

Parameter	Unit	Value
Face size	mm	DN 150 (6 inch)
Face size	mm	DN 200 (8 inch)
Face size	mm	DN 250 (10 inch)
Face size	mm	DN 300 (12 inch)
Face size	mm	DN 350 (14 inch)

Parameter	Unit	Value
Face size	mm	DN 400 (16 inch)
Face size	mm	DN 450 (18 inch)
Face size	mm	DN 500 (20 inch)
Face size	mm	DN 550 (22 inch)
Face size	mm	DN 600 (24 inch)

Parameter	Unit	Value
Face size	mm	DN 650 (26 inch)
Face size	mm	DN 700 (28 inch)
Face size	mm	DN 750 (30 inch)
Face size	mm	DN 800 (32 inch)
Face size	mm	DN 850 (34 inch)

belven®

BELVEN



WATER
TREATMENT

DISTRICT
ENERGY

TANK
STORAGE

CONSTRUCTION
& BUILDINGS

PROCESS
INDUSTRY

BUTTERFLY VALVES CERTIFIED



PED 97/23/EC (TÜV Süddeutschland - CE0036)
Pressure Equipment Directive
According to Module H (full quality assurance)



TA LUFT (TÜV Süddeutschland)
Technische Anleitung zur Reinhaltung der Luft
According TA luft (27.02.86) punkt 3.1.8.4



ADR approved (Apragaz)
International Carriage of Dangerous Goods by Road
According to KB 09.03.2003 - Class 3, 4, 5, 6, 8, 9



WRAS approved (Water Regulations Advisory Scheme)
Black coloured EPDM rubber valve liner
For cold and hot water use up to 85°C



ISO 9001:2000 certified (SGS)
Quality Management System
Certified since 1996



ATEX certified
Atex compliant version for explosive surroundings
Group II, Zones 0, 1, 2 and [20, 21, 22 respectively]



DVGW approval
(Deutsche Vereinigung des Gas- und Wasserfaches)
under evaluation
DVGW file reference 06-0360-G

region



EAST PUMP (PRODUCTS)

ปั๊มน้ำที่นิยมใช้ในประเทศไทย

Stamping Pump

Vertical Multistage Pump



Horizontal Multistage Pump



Multistage Pump



การใช้งาน

- > ระบบกรองน้ำ (RO System)
- > อาคารและโรงแรม
- > บ้านและอาคารพาณิชย์
- > โรงงานอุตสาหกรรม

Submersible & Special Pump



การใช้งาน

- > ระบบน้ำทิ้ง
- > น้ำสกปรกและน้ำเสีย



Stainless Steel Deep Well Pump

การใช้งาน

- > น้ำบาดาล



Split Casing Pump

การใช้งาน

- > ระบบน้ำสูง
- > เกษตรกรรมและชลประทาน



Vertical Mixed-flow Pump

การใช้งาน

- > ระบบน้ำทิ้ง
- > น้ำสกปรก
- > เกษตรกรรมชลประทาน



Chemical Inline Oil Pump

การใช้งาน

- > อุตสาหกรรมปิโตรเลียม



Heavy Load Axial Split Double Suction Centrifugal Pump

การใช้งาน

- > อุตสาหกรรมเหล็กกล้า



Fire-fighting Pump

การใช้งาน

- > อาคารและโรงงาน
- > โรงงานอุตสาหกรรม




Single Stage Centrifugal Pump/
Fluorine Chemical Pump

การใช้งาน

- > ระบบ Cooling Tower
- > ระบบ Chiller
- > อุตสาหกรรมเคมี
- > อุตสาหกรรมอาหารและยา
- > อาคาร
- > ชลประทาน
- > อาคารพาณิชย์
- > โรงงานอุตสาหกรรม



Inline Pump



Mining Pump

การใช้งาน

- > อุตสาหกรรมเหมืองแร่



Diaphragm Pump

การใช้งาน

- > อุตสาหกรรมเคมี
- > อุตสาหกรรมอาหารและยา
- > โรงงานอุตสาหกรรม

EAST PUMP



ITRON (Products)



TD88 (DN15)
Volumetric technology (piston)
ISO4064 Class C



Woltex
Horizontal Woltman technology
ISO4064 Class B
DN50 to DN500



Multimag (Standard Version)
Multi-jet technology
ISO4064 Class B
(EEC approval as option)
DN15 – DN20



Irrimag
Derivation technology
Perfect for irrigation and water extraction
Suitable for raw water with particles
DN65 to DN200



Multimag TM-Cyble
Multi-jet technology
ISO4064 Class B
(EEC approval as option)
DN15 – DN50



Accessories
Cyble Pulse
Cyble M-Bus

ITRON

MAIN ITRON WATER & HEAT SITES EUROPE



Mâcon (France)



Asti (Italy)



Haguenau (France)



Oldenburg (Germany)

Asia and South America



Americana (Brazil)










**PT Mecindo
Jakarta (Indonesia)**

ITRON / ACTARIS Metering Group



Certificate ITRON



Selected portfolio - Global suppliers



– Membrane pumps

